

- absolute value
 - of complex number, 733–734
 - of real number, 30–33
- acknowledgments, xxiii–xxv
- acute angle, 524, 570, 616, 623, 625, 637
- additive inverse
 - of a real number, 11, 24, 26
 - of a vector, 723
- algebraic operations, order of, 7–10
- amplitude, 687–689
- angle
 - acute, 524, 570, 616, 623, 625, 637
 - ambiguous, 614–616, 629–630
 - corresponding to a radius, 503, 520
 - greater than 2π , 518–520
 - greater than 360° , 502–503
 - in the unit circle, 499–503
 - negative, 501–502, 518
 - obtuse, 524, 616, 623, 625, 630
- annual percentage yield, 340, 343
- apparent magnitude, 315–316
- approximation
 - of 2^m , 329, 342
 - of 2^t , 373
 - of area, 350–352
 - of $\cos \theta$, 621
 - of e , 354, 369, 374, 485–486
 - of e^t , 368–369, 494
 - of $\ln(1 + t)$, 366–367
 - of $\ln x$, 360, 493
 - of $\log(1 + t)$, 373
 - of π , 49–50
 - of $\sin \theta$, 619
 - of $\frac{\sin \theta}{\theta}$, 620
 - of $\tan \theta$, 619
- APY, *see* annual percentage yield
- arc, *see* circular arc
- arccosine, 584–587, 652
 - composition with trigonometric functions, 599–608
 - graph, 587
 - of $-t$, 600–603
 - plus arcsine, 603–604
- arcsine, 587–589, 652
 - composition with trigonometric functions, 599–608
 - graph, 588
 - of $-t$, 601, 603
 - plus arccosine, 603–604
- arctangent, 590–592
 - composition with trigonometric functions, 599–608
 - graph, 591
 - of $-t$, 601–603
 - of $\frac{1}{t}$, 604
- area
 - inside circle, 102–103
 - inside ellipse, 103–105
 - of circular slice, 521
 - of dodecagon, 623, 624
 - of hendecagon, 617
 - of heptagon, 624
 - of hexagon, 623, 627
 - of loonie, 617
 - of octagon, 617
 - of parallelogram, 99, 616
 - of Pentagon, 618
 - of polygon, 617–618, 624
 - of rectangle, 98–99
 - of square, 98
 - of trapezoid, 100–101, 624
 - of triangle, 99–100, 613–615
 - under $y = \frac{1}{x}$, 350–355, 367, 369–372
- Area Stretch Theorem, 101, 102, 104, 112, 113, 370
- argument of complex number, 734–737
- arithmetic sequence, 450–451

- arithmetic series, 463–465
- associativity, 7–8, 20, 40, 171, 222, 229, 230, 263, 271, 427, 431, 721
- asymptote, 251–252, 254
- augmented matrix, 412–413
- Axler, Sheldon, v

- back substitution, 406
- bacteria growth, 333–334, 378
- base
 - e , 355–358, 366–367
 - of logarithm, 295
 - of parallelogram, 99
 - of trapezoid, 100
 - of triangle, 99
 - ten, 296–297
 - two, 293–294
- Bengal, 300
- binary notation (base 2), 322
- binomial coefficient, 473–476, 496
- Binomial Theorem, 470–476, 478, 496
- black box, 120

- calculator use, xvii–xviii, 16–17
- carbon-14 dating, 300
- Cartesian plane, 42–44, 50, 53
- Cauchy-Schwarz Inequality, 730
- Celsius temperature scale, 61, 180–181
- Celsius, Anders, 181
- chess, invention of, 328
- Chicago temperature, 695
- Christina, Queen of Sweden, 41
- circle
 - area inside, 102–103
 - circumference of, 49–50
 - equation of, 79–80
 - polar equation, 711–713
 - unit, *see* unit circle
- circular arc, 503–504, 520–521, 524
- circular slice, 521
- circumference, 48–50
- class testers, xxiv–xxv
- clockwise, 501
- closed interval, 28, 34, 35
- coefficient of polynomial, 227
- column of matrix, 411
- common logarithm, 296
 - number of digits, 297
- commutativity, 7, 40, 169, 222, 229, 230, 263, 271, 427, 435, 721, 726
- completing the square, 75
- complex conjugate, 264–265, 733–734
- complex number
 - absolute value, 733–734
 - addition, 263, 271
 - definition, 262
 - division, 264–266, 737
 - imaginary part, 262–263
 - multiplication, 263–264, 271, 736–737
 - multiplicative inverse, 272, 735–736
 - polar form, 734–737
 - power, 737–738
 - real part, 262–263
 - root, 738
 - subtraction, 263
- complex plane, 732–737
- composition, 166–174
 - decomposing functions, 170–171
 - not commutative, 170
 - of a function and its inverse, 185–187
 - of a polynomial and a rational function, 256
 - of a trigonometric function and an inverse trigonometric function, 599–608
 - of increasing functions, 205
 - of linear functions, 175
 - of more than two functions, 171–172
 - of one-to-one functions, 191
 - of polynomials, 242
 - of rational functions, 256
- compound interest, 336–340, 343
 - continuous compounding, 376–380
 - doubling money, 378–380
- conic section
 - ellipse, 81–83, 103–105
 - hyperbola, 85–88, 392
 - parabola, 83–85, 142, 197, 214, 228, 286, 293
- continuous function, 236
- continuous growth rate, 377–378
- continuously compounded interest, 376–377
- coordinate axes, 42–44
- coordinate plane, 42–44, 50, 53
- coordinates
 - polar, 705–710
 - rectangular, 42–44
- cos, *see* cosine
- \cos^{-1} , *see* arccosine
- cosecant, 547–549, 553, 554, 576
- cosh, *see* hyperbolic cosine
- cosine

- $\cos \frac{\pi}{17}$, 669
 - $\cos(-\theta)$, 568–569
 - $\cos 15^\circ$, 647–648, 660, 663
 - $\cos 18^\circ$, 653
 - $\cos(2\theta)$, 644–645
 - $\cos(3\theta)$, 663
 - $\cos(5\theta)$, 664
 - $\cos(\frac{\pi}{2} - \theta)$, 570–571
 - $\cos(\theta + 2\pi)$, 573–575
 - $\cos(\theta + \pi)$, 572–573
 - $\cos(\theta + \frac{\pi}{2})$, 663, 667
 - $\cos(\theta + \frac{\pi}{4})$, 663, 667
 - $\cos(\frac{\theta}{2})$, 647–648
 - $\cos(u + v)$, 658–660
 - $\cos(u - v)$, 660
 - $\cos u \cos v$, 664
 - $\cos u \sin v$, 664
 - $\cos x + \cos y$, 664
 - $\cos x - \cos y$, 664
 - definition using unit circle, 529–530
 - domain, 535
 - graph, 536, 569, 571, 574, 584, 585, 688, 689, 692
 - range, 535
 - right triangle characterization, 555–558
 - sign, 532–533
 - special angles, 531
- cot, *see* cotangent
- cotangent, 547–549, 553, 554, 576
- counterclockwise, 499
- Cramer's rule, 404
- csc, *see* cosecant
- cube, 280
- cube root, 280, 281, 288
- cubic formula, 231, 265
- Curie, Marie, 299
- De Moivre's Theorem, 737–738
- De Moivre, Abraham, 737
- decibel, 313–315, 320, 321, 325, 326, 348
- decimal
 - as infinite series, 489–491
 - repeating, 490–491
 - terminating, 490
- decomposing functions, 170–171
- decreasing function, 200–202, 204–206, 211, 214, 219, 598
- degree
 - Celsius, 61, 180–181
 - Fahrenheit, 61, 180–181
 - of a polynomial, 227–230
- Descartes, René, 41, 43
- diagonal of a square matrix, 433
- difference quotient, 19, 23, 129, 133, 134, 239, 243, 255, 256, 258, 372, 375
- digit, 489
- Dilbert, 335, 342, 346, 386
- direction of a vector, 718–720
- distance
 - between point and line, 77
 - between points, 46–47
- distributive property, 10–11, 431
- division of polynomials, 247–249
- dodecagon, 623, 624
- domain
 - definition, 118
 - from a table, 128
 - not specified, 124–125
 - of a composition, 167
 - of a polynomial, 227
 - of a rational function, 245
 - of an inverse function, 184–185
 - of \cos , 535
 - of \cos^{-1} , 586
 - of e^x , 356
 - of \ln , 357
 - of \log_2 , 294
 - of \log_b , 296
 - of \sin , 535
 - of \sin^{-1} , 588
 - of \tan , 545–546
 - of \tan^{-1} , 591
- dot product, 726–727
- double-angle formula
 - for $\cos(2\theta)$, 644–645
 - for $\sin(2\theta)$, 645–646
 - for $\tan(2\theta)$, 646–647
- doubling money, 378–380
- Dumesnil, Pierre, 41
- e
 - approximation of, 368–369
 - as base for natural logarithm, 355
 - definition, 354
 - exponential function, 356–358, 382
 - first 40 digits, 354
 - series for, 491
- earthquake, 312–313, 319–321, 324, 325, 348
- elementary row operation, 415
- ellipse

- area inside, 103–105
- equation of, 81–82
- focus, 82–83
- parametric curve, 676
- epsilon, 34, 484
- equation
 - solution, 388
 - solve, 388
- Euclid, 117
- Euler, Leonard, 262, 492
- even function, 152, 155, 156, 164, 176, 205, 289, 360, 569, 609
- exponent
 - 0, 217–218
 - complex number, 737–738
 - negative integer, 218–219
 - not associative, 222
 - not commutative, 222
 - positive integer, 214–217
 - rational number, 280–285, 288
 - real number, 282, 285
- exponential function, 286–287, 356–358, 382
 - approximation of, 368–369
 - graph, 356
 - in continuous compounding, 376–377
 - in continuous growth rate, 377–378
 - series for, 491
- exponential growth, 328–340, 342, 382
 - compound interest, 336–340, 343
 - continuous compounding, 376–377
 - continuous growth rate, 377–378
 - Moore's Law, 331
 - population growth, 333–335
- factorial, 454–455, 473
- Fahrenheit temperature scale, 61, 180–181
- Fahrenheit, Daniel Gabriel, 181
- Fermat's Last Theorem, 222
- Fibonacci sequence, 455
- Fibonacci, Leonardo, 455
- finite sequence, 448, 450, 452, 463, 487, 496
- Flatiron Building, 637
- flipping graph, *see* function transformation
- focus
 - of ellipse, 82–83
 - of hyperbola, 86–88
- function
 - decreasing, 200–202, 204–206, 211, 214, 219, 598
 - defined by table, 128
 - definition, 118
 - even, 152, 155, 156, 164, 176, 205, 289, 360, 609
 - increasing, 200–202, 204–206, 211, 214, 283, 294, 356, 357, 541, 554, 700
 - inverse, 180–188
 - odd, 153, 155, 156, 164, 176, 210, 222, 289, 360, 609
 - one-to-one, 181–182
 - periodic, 690
 - piecewise-defined, 119, 130, 138, 189, 194
 - polynomial, 227
- function transformation
 - as composition, 172–174
 - flipping graph across horizontal axis, 145, 680
 - flipping graph across vertical axis, 148, 680
 - horizontal combinations of, 151
 - of trigonometric functions, 687–694
 - shifting graph down, 143, 679
 - shifting graph left, 145–146, 678
 - shifting graph right, 146, 678
 - shifting graph up, 142–143, 679
 - stretching graph horizontally, 147, 680
 - stretching graph vertically, 143–144, 680
 - vertical combinations of, 149–151
- Fundamental Theorem of Algebra, 270
- Galileo, 105
- Gauss, Carl Friedrich, 270, 387, 669
- Gaussian elimination, 404–406, 413–418
- geometric sequence, 451–453
 - limit of, 486
 - sum of, 466–469, 487–489
- geometric series, 466–469, 487–489
- Google, 354, 404
- grad, 507, 524
- graph
 - determining range from, 127
 - flipping, *see* function transformation
 - horizontal line test, 199–200
 - of $1/x$, 219, 350–355, 366–367, 369–372
 - of $1/x^2$, 219
 - of 2^x , 286, 293
 - of 9^x , 330
 - of \sqrt{x} , 197
 - of $(1 + 1/x)^x$, 368
 - of cos, 536, 569, 571, 574, 584, 585, 688, 689, 692
 - of \cos^{-1} , 587
 - of decreasing function, 200–201
 - of equation, 44–46
 - of even function, 152

- of e^x , 356, 358, 368
 - of function, 121–122
 - of increasing function, 200–201
 - of inverse function, 197–198
 - of linear function, 58
 - of \ln , 357, 358, 366
 - of \log , 318
 - of \log_2 , 294, 318
 - of odd function, 153
 - of one-to-one function, 199–200
 - of polar equation, 711–715
 - of polynomial, 237
 - of quadratic expression, 84
 - of rational function, 253–254
 - of \sin , 536, 569, 571, 574, 587, 688
 - of \tan , 546–547, 569, 573, 590
 - of \tan^{-1} , 591
 - of transformed function, 142–151
 - of x^2 , 197, 286, 293
 - of x^3 , x^4 , x^5 , and x^6 , 215
 - reflecting, *see* function transformation
 - shifting, *see* function transformation
 - stretching, *see* function transformation
 - vertical line test, 124
- half-angle formula
- for $\cos \frac{\theta}{2}$, 647–648
 - for $\sin \frac{\theta}{2}$, 648–649
 - for $\tan \frac{\theta}{2}$, 649–650
- half-life, 299–300
- half-open interval, 28
- height
- of parallelogram, 99
 - of rectangle, 99
 - of trapezoid, 100
 - of triangle, 99–100
- hendecagon, area of, 617
- heptagon, area of, 624
- hexagon, 623, 626, 627
- Hipparchus, 568
- Holmes, Sherlock, 5
- Hubble telescope, 316
- hyperbola, 85–88, 392
- focus, 86–88
 - parametric curve, 676
- hyperbolic cosine, 360–361
- hyperbolic sine, 360–361, 374
- i , 262–270
- identity, 388
- inverse trigonometric, 599–608
 - trigonometric, 566–575
- identity function (I), 169–170, 186, 599
- identity matrix (I), 433–435
- imaginary axis, 732
- imaginary part, 262–263, 739
- income tax function, 119, 190, 195, 205
- increasing function, 200–202, 204–206, 211, 214, 283, 294, 356, 357, 541, 554, 700
- inequalities, 25–26
- infinite sequence, 448–456
- arithmetic sequence, 450–451
 - geometric sequence, 451–453
 - limit of, 483–486
 - recursive sequence, 454–456
 - sum of, *see* infinite series
- infinite series, 487
- geometric series, 487–489
 - special, 491–492
- infinity (∞), 28–29, 229, 234–236, 250–252, 448, 485
- integer, 2
- Intel, 331
- interest
- compound, 336–340
 - continuously compounded, 376–380
 - simple, 335–337
- intersection, 34, 39
- interval, 27–32
- closed, 28, 34, 35
 - half-open, 28
 - open, 28, 34, 35
- inverse function, 180–188
- composition with, 185–187
 - domain of, 184–185
 - from table, 203
 - graph of, 197–198
 - notation, 187–188
 - of 2^x , 293–294
 - of a linear function, 190
 - of b^x , 295–296
 - of \cos , 584–587
 - of \cosh , 361
 - of decreasing function, 202
 - of e^x , 357–358
 - of increasing function, 202
 - of \sin , 587–589
 - of \sinh , 361
 - of \tan , 590–592
 - of x^m , 283

- parametric curve, 677
- range of, 184–185
- inverse trigonometric functions
 - \cos^{-1} , *see* arccosine
 - \sin^{-1} , *see* arcsine
 - \tan^{-1} , *see* arctangent
- inverse trigonometric identities
 - $\cos^{-1} t + \sin^{-1} t$, 603–604
 - $\tan^{-1} \frac{1}{t}$, 604
 - compositions of trigonometric and inverse trigonometric functions, 599–608
 - with $-t$, 600–603
- iPhone, 548
- iPod, 314–315, 451
- irrational number, 5–6, 40, 49, 50, 132, 269, 285, 288, 289, 302, 333, 352, 354, 490, 550, 652
 - irrationality of $\sqrt{2}$, 4–5
 - irrationality of e , 354
 - irrationality of π , 49, 550
- Jefferson, Thomas, 294
- Kepler, Johannes, 81
- Khayyam, Omar, 213
- Kneller, Godfrey, 447
- Lambert, Johann, 550
- law of cosines, 631–635, 645, 658–659, 715, 727
- law of sines, 628–630, 634–635, 645
- length
 - of a circular arc, 503–504, 520–521, 524
 - of a line segment, 48
 - of a path or curve, 48–50
- Libby, Willard, 300
- limit, 483–492
- linear equations
 - any number of variables, 402
 - one variable, 399–400
 - system of, 403–418
 - Gaussian elimination, 404–406, 413–418
 - matrix representation, 412–413
 - three variables, 402
 - two variables, 400–401
- linear function, 172
- lines
 - equation of, 58–60
 - parallel, 61–62
 - perpendicular, 62–64, 68, 176
 - slope, 57–58
- \ln , *see* natural logarithm
- logarithm
 - any base, 295–296
 - base e , 355–358, 366–367
 - base ten, 296–297
 - base two, 293–294
 - change of base, 316–318
 - common, 296
 - number of digits, 297
 - natural, 355–358, 366–367
 - of 1, 295
 - of $1/\gamma$, 312
 - of a power, 297–298
 - of a product, 310–311
 - of a quotient, 311–312
 - of the base, 295
- loonie, 583, 617
- loudness, 313–315, 320, 321, 325, 326, 348
- magnitude
 - of a star, 315–316
 - of a vector, 718–720
- Manhattan
 - alleged sale of, 338
 - real estate, 342, 346
- matrix
 - addition, 426–427
 - augmented, 412–413
 - column, 411
 - diagonal, 433
 - difference, 427
 - elementary row operation, 415
 - equality, 425
 - Gaussian elimination, 413–418
 - identity (I), 433–435
 - inverse, 434–439
 - invertible, 434
 - multiplication, 428–432
 - multiplication by a number, 427–428
 - product, 428–432
 - representing a system of linear equations, 412–418
 - row, 411
 - scalar multiplication, 427–428
 - size, 424
 - subtraction, 427
 - sum, 426–427
- midpoint, 64–66
- Moore's Law, 331
- Moore, Gordon, 331
- multiplicative inverse

- of a complex number, 272, 735–736
 - of a matrix, 434–439
 - of a real number, 13–15
- Napier, John, 296
- natural logarithm
- algebraic properties, 357
 - approximation of, 366–367
 - area interpretation, 355, 369–372
 - as inverse of exponential function, 357–358
 - definition, 355
 - graph, 356–358
 - inequalities with, 367, 478
 - series for $\ln 2$, 491–492
- negative angle, 501–502, 518
- negative horizontal axis, 499
- negative number, 24–25
- negative reciprocal, 64
- negative vertical axis, 499
- Newton's method, 455
- Newton, Isaac, 447
- Nobel Prize, 299, 300
- North Star, 315–316, 320, 322, 326
-
- obtuse angle, 524, 616, 623, 625, 630
- octagon, area of, 617
- odd function, 153, 155, 156, 164, 176, 210, 222, 289, 360, 569, 609
- one-to-one, 182
- horizontal line test, 199–200
- open interval, 28, 34, 35
- origin, 42
-
- page number jokes, 4, 8, 16, 22, 32, 64, 128, 141, 256, 272, 314
- parabola, 83–85, 142, 197, 214, 228, 286, 293
- parametric curve, 674–675
- parallel lines, 61–62
- parallelogram, 99, 616
- Parallelogram Equality, 729
- parametric curve, 672–686
- dynamic representation, 674
 - ellipse, 676
 - flipping vertically or horizontally, 680
 - hyperbola, 676
 - inverse function graph, 677
 - motion due to gravity, 674–675
 - parabola, 674–675
 - shifting right or left, 678
 - shifting up or down, 679
 - stretching horizontally or vertically, 680
- Parthenon, 1
- partial sum, 488
- Pascal's triangle, 471–472, 476, 478
- Pascal, Blaise, 471
- Pentagon
- area of, 618
- perimeter, 48–49, 108, 623, 624, 627, 668
- period, 689–692
- periodic function, 690
- perpendicular lines, 62–64, 68, 176
- perpendicular vectors, 728
- pH scale, 322
- phase shift, 692–694
- photo credits, 743
- π (π)
- area inside circle, 102–103, 108
 - area inside ellipse, 104–105, 108
 - definition, 49
 - first 504 digits, 49
 - irrational, 49, 550
 - rational approximation, 49–50
 - series for, 492
- piecewise-defined function, 119, 130, 138, 189, 194
- Pitiscus, Bartholomeo, 555
- polar coordinates
- converting from rectangular coordinates, 707–710
 - converting to rectangular coordinates, 706
 - definition, 705–706
 - graph of polar equation, 711–715
- polar equation, 711–715
- circle, 711–713
 - ray, 712
- polar form of complex number, 734–737
- division, 737
 - multiplication, 736–737
 - multiplicative inverse, 735–736
- Polaris, 315–316, 322
- polygon, area of, 617–618
- polynomial
- behavior near $\pm\infty$, 234–237
 - complex conjugate of a zero, 268–269
 - definition, 227
 - degree, 227–230
 - division of, 247–249
 - factorization, 233–234, 270
 - Fundamental Theorem of Algebra, 270
 - graph, 237

- root of, 230
 - zero of, 230–234, 268–270
- population growth, 333–335
- positive horizontal axis, 499
- positive number, 24–25
- positive vertical axis, 499
- power, *see* exponent
- preface
 - to the instructor, xvi–xxi
 - to the student, xxvi
- prime number, 302, 303, 308, 347, 354
- principal, 336
- Pythagoras, 4
- Pythagorean Theorem, 3–4, 46–47, 54, 68, 109, 504, 555, 557, 561–563, 606, 607, 611, 612, 631, 632
- quadrant, 532
- quadratic expression, 77
 - completing the square, 75–78
 - graph of, 84
- quadratic formula, 78–79, 231, 233, 268
- quadratic function, 176
- radians
 - converting from degrees, 516
 - converting to degrees, 516
 - definition, 514
 - length of circular arc, 520–521
- radioactive decay, 299–300
- radius corresponding to an angle, 500–501, 517–518
- range
 - definition, 126
 - from a graph, 127
 - from a table, 128
 - of an inverse function, 184–185
 - of \cos , 535
 - of \cos^{-1} , 586
 - of \cosh , 361
 - of e^x , 356
 - of \ln , 357
 - of \log_2 , 294
 - of \log_b , 296
 - of \sin , 535
 - of \sin^{-1} , 588
 - of \sinh , 361
 - of \tan , 545–546
 - of \tan^{-1} , 591
- Raphael, 117
- rational exponent, 284–285, 288
- rational function
 - behavior near $\pm\infty$, 250–253
 - definition, 245
 - domain, 245
 - graph of, 253–254
- rational number, 2–6
- Rational Zeros Theorem, 241
- ray, polar equation of, 712
- real axis, 732
- real exponent, 282, 285
- real line, 2–3, 40
- real number, 3
- real part, 262–263
- reciprocal, 13
- rectangular coordinates
 - converting from polar coordinates, 706
 - converting to polar coordinates, 707–710
 - definition, 42–44
- recursively defined sequence, 454–458, 461, 462, 496
- reflecting graph, *see* function transformation
- regular polygon, 617, 624
- repeating decimal, 490–491
- reviewers, xxiv–xxv
- Richter magnitude, 312–313, 319–321, 324, 325, 348
- Richter, Charles, 312
- right triangle
 - 30° - 60° - 90° , 504–505
 - area, 100
 - characterization of trigonometric functions, 555–558
- root
 - of a function, 230
 - of a number, 280
 - as inverse function, 283
 - notation, 282
- row of matrix, 411
- scalar, 725
- scalar multiplication, 725
- School of Athens*, 117
- sec, *see* secant
- secant, 547–549, 553, 554, 567, 576
- sequence
 - arithmetic, 450–451
 - Fibonacci, 455
 - finite, 448, 450, 452, 463, 487, 496
 - geometric, 451–453
 - infinite, 448–456
 - limit of, 483–486
 - recursively defined, 454–458, 461, 462, 496

- series
 - arithmetic, 463–465
 - definition, 463
 - geometric, 466–467, 489
 - infinite, 487–489
 - special, 491–492
 - summation notation, 468–469
- set, 27
- shifting graph, *see* function transformation
- Sigma (Σ), 468–469
- simple interest, 335–337
- sin, *see* sine
- \sin^{-1} , *see* arcsine
- sine
 - approximation of, 619
 - $\cos u \sin v$, 664
 - definition using unit circle, 529–530
 - domain, 535
 - graph, 536, 537, 569, 571, 574, 587, 688
 - range, 535
 - right triangle characterization, 555–558
 - sign, 532–533
 - $\sin \frac{\pi}{8}$, 649
 - $\sin(-\theta)$, 568–569
 - $\sin 15^\circ$, 549, 553, 651, 657
 - $\sin 18^\circ$, 653
 - $\sin(2\theta)$, 645–646
 - $\sin(3\theta)$, 663
 - $\sin(5\theta)$, 664
 - $\sin(\frac{\pi}{2} - \theta)$, 570–571
 - $\sin(\theta + 2\pi)$, 573–575
 - $\sin(\theta + \pi)$, 572–573
 - $\sin(\theta + \frac{\pi}{2})$, 663
 - $\sin(\theta - \frac{\pi}{4})$, 663
 - $\sin(\frac{\theta}{2})$, 648–649
 - $\sin(u + v)$, 660–661
 - $\sin(u - v)$, 661
 - $\sin u \sin v$, 664
 - $\sin x + \sin y$, 664
 - $\sin x - \sin y$, 664
 - special angles, 531
- sinh, *see* hyperbolic sine
- slope
 - definition, 57–58
 - equation of a line, 58
 - parallel lines, 61–62
 - perpendicular lines, 62–64, 68, 176
- solution to an equation, 388
- solve an equation, 388
- sound intensity, 313–315, 320, 321, 325, 326, 348
- Spots, 309
- square root
 - definition, 281–283
 - graph of, 197
 - of 2 is irrational, 4–5
- St. Louis Gateway Arch, 349, 361
- star brightness, 315–316
- Starry Night*, 279
- stretching and area, *see* Area Stretch Theorem
- stretching graph, *see* function transformation
- substitution, to solve system of equations, 392–393
- summation notation, 468–469
- Sylvester, James, 412
- system of equations
 - solve by substitution, 392–393
 - solve graphically, 391–392
- system of linear equations, *see* linear equations
- table
 - determines domain, 128
 - determines range, 128
 - for a function, 128
 - for an inverse function, 203
- tan, *see* tangent
- \tan^{-1} , *see* arctangent
- tangent
 - approximation of, 619
 - definition using unit circle, 542–544
 - domain, 545–546
 - graph, 546–547, 569, 573, 590
 - range, 545–546
 - right triangle characterization, 555–558
 - sign, 544
 - special angles, 543
 - $\tan \frac{\pi}{8}$, 575
 - $\tan(-\theta)$, 568–569
 - $\tan(2\theta)$, 646–647
 - $\tan(\frac{\pi}{2} - \theta)$, 570–571
 - $\tan(\theta + 2\pi)$, 573–575
 - $\tan(\theta + \pi)$, 572–573
 - $\tan(\theta + \frac{\pi}{2})$, 663, 667
 - $\tan(\theta + \frac{\pi}{4})$, 663, 667
 - $\tan(\theta - \frac{\pi}{2})$, 663
 - $\tan(\theta - \frac{\pi}{4})$, 663
 - $\tan(\frac{\theta}{2})$, 649–650
 - $\tan(u + v)$, 661–662
 - $\tan(u - v)$, 662
- terminating decimal, 490
- Transamerica Pyramid, 497

- transit level, 559
- transitivity, 25
- trapezoid
 - area of, 100–101, 624
 - bases of, 100
 - height of, 100
- triangle
 - 30°–60°–90°, 504–505
 - area of, 99–100, 613–615
- Triangle Inequality, 730
- trigonometric approximations, 619–622
- trigonometric functions
 - cos, *see* cosine
 - cot, *see* cotangent
 - csc, *see* cosecant
 - sec, *see* secant
 - sin, *see* sine
 - tan, *see* tangent
 - transformations, 687–694
- trigonometric identities
 - relationship between cos, sin, and tan, 566–568
 - with $-\theta$, 568–569
 - with $\frac{\pi}{2} - \theta$, 570–571
 - with $\pi - \theta$, 576
 - with $\theta + 2\pi$, 573–574
 - with $\theta + \frac{\pi}{2}$, 576
 - with $\theta + \pi$, 572–573
 - with $\theta + n\pi$, 574–576
- union, 29–30, 33, 34, 36, 38, 40, 209, 255, 257, 276
- unit circle
 - definition, 498
 - special points on, 504–505, 522
- Van Gogh, Vincent, 279
- vector
 - addition, 720–721
 - additive inverse, 723
 - definition, 718
 - direction of, 718–720
 - dot product, 726–727
 - magnitude of, 718–720
 - notation, 719
 - scalar multiplication, 725
 - subtraction, 723–724
 - zero, 721–723
- vertex of parabola
 - definition, 84
 - finding by completing the square, 85
- vertical line test, 124
- Wolfram|Alpha, 17
 - distance, 52
 - expand, 18
 - graph, 45–46, 92, 121–122
 - is, 46
 - parametric plot, 673, 676–678, 714
 - polar plot, 714
 - Show steps, 18
 - simplify, 18, 247
 - solve, 33, 184, 231, 389, 404
 - sum, 469, 479
- x -axis, 43
- x -coordinate, 44
- y -axis, 43
- y -coordinate, 44
- Zeno's paradox, 494
- zero
 - of a function, 230
 - of a polynomial, 230–234, 268–270
 - of a quadratic function, 78–79, 231, 268
- $\zeta(2)$, 492
- $\zeta(3)$, 492
- $\zeta(4)$, 492
- $\zeta(6)$, 492
- Zu Chongzhi, 50